

Figure B.77: Time-series of beach cross-sectional area at profiles SWF3 and GY0839.




Figure B.78: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach cross-sectional area at profiles SWF3 and GY0839. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach cross-sectional area at profiles SWF3 and GY0839.




Figure B.79: Time-series of beach cross-sectional area at profiles SWF4 and GY0841.




Figure B.80: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach cross-sectional area at profiles SWF4 and GY0841. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach cross-sectional area at profiles SWF4 and GY0841.




Figure B.81: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles N4A2 and GY0801.




Figure B.82: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles N4A2 and GY0801. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles N4A2 and GY0801.




Figure B.83: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles N4A3 and GY0803.




Figure B.84: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles N4A3 and GY0803. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles N4A3 and GY0803.




Figure B.85: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles GY04 and GY0808.




Figure B.86: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles GY04 and GY0808. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles GY04 and GY0808.




Figure B.87: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles GY07 and GY0809.




Figure B.88: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles GY07 and GY0809. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles GY07 and GY0809.






Figure B.89: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles GY10 and GY0813.




Figure B.90: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles GY10 and GY0813. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles GY10 and GY0813.




Figure B.91: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles GY18 and GY0821.




Figure B.92: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles GY18 and GY0821. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles GY18 and GY0821.






Figure B.93: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles SWG1 and GY0822.




Figure B.94: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles SWG1 and GY0822. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles SWG1 and GY0822.