

Figure B.95: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles SWG3 and GY0830.




Figure B.96: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles SWG3 and GY0830. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles SWG3 and GY0830.




Figure B.97: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles GY28 and GY0833.




Figure B.98: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles GY28 and GY0833. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles GY28 and GY0833.




Figure B.99: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles GY29 and GY0834.




Figure B.100: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles GY29 and GY0834. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles GY29 and GY0834.




Figure B.101: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles SWF2 and GY0836.




Figure B.102: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles SWF2 and GY0836. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles SWF2 and GY0836.




Figure B.103: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles SWF3 and GY0839.




Figure B.104: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles SWF3 and GY0839. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles SWF3 and GY0839.




Figure B.105: Time-series of beach widths to HAT, MSL, MLWS and LAT at profiles SWF4 and GY0841.




Figure B.106: (a) Time-series of 'successive' changes (i.e. change between consecutive surveys) in beach widths to HAT, MSL, MLWS and LAT at profiles SWF4 and GY0841. (b) Time-series of 'cumulative' changes (i.e. changes relative to first survey of the corresponding profile) in beach widths to HAT, MSL, MLWS and LAT at profiles SWF4 and GY0841.




Figure B.107: Annual average trends in beach cross-sectional area estimated between 2000 and 2013 at Great Yarmouth (calculated for selected beach profiles)




Figure B.108: Comparison of depth contours (-1m, -2m, -5m and -10m) within the Port Limits between January 2000 and October 2013